

APPLICATION FOR UNITED STATES PATENT

**METHODS AND SYSTEMS FOR
RULE-BASED DISTRIBUTED AND
PERSONALIZED CONTENT DELIVERY**

5

Inventor: BELLARE, Kiran Gurudutt


Inventor: DESAI, Sachin

Inventor: DOBIES, Joshua Michael

Assignee: ORACLE CORPORATION
500 Oracle Parkway,
Redwood Shores CA 94065

Young Law Firm, P.C.
4370 Alpine Road, Suite 106
Portola Valley, CA 94028
Tel: (650) 851-7210
Fax: (650) 851-7232

I hereby certify that this patent application is being deposited with the United States Postal Service as Express Mail No EL 426 760 251 US in an envelope addressed to Assistant Commissioner for Patents, Box Patent Application, US Patent and Trademark Office, Washington, D.C., 20231, on December 1, 2000.

 Dec 1, 2000
Alan W. Young Date

METHODS AND SYSTEMS FOR RULE-BASED DISTRIBUTED AND PERSONLIZED CONTENT DELIVERY

5

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to the delivery of personalized content over computer networks, such as the Internet.

2. Description of the Related Art

10

The relative low cost of transferring information over computer networks such as the Internet has deluged consumers with sales and marketing information. Much of the information received by consumers is transmitted upon request, such as when consumers view a specific Web page from a favorite or vendor. Some information, however, is pushed to the consumer, such as the case with advertisements, sometimes in the form of banner ads occupying a portion of the active area of a Web browser. Most often, the consumer has not requested the banner ad to be displayed. Its display results from an agreement between the owner of the Web site and the advertiser. Such ads are often rotated, so that repeat visitors to the Web site do not become habituated to the same advertisement each time they visit the Web site.

15

20

Some Web sites also feature links to other web sites featuring businesses with which the Web site maintains a strategic alliance or other contractual relationship. Such other Web sites may be termed affiliate Web sites. Such affiliate Web sites usually offer complimentary products and/or services. The affiliate Web sites may feature advertisements for products or services of the Web site(s) with which they are affiliated. For maximum effectiveness,

however, such advertisements should be delivered in a controlled manner and the content thereof should be customized to a target audience or even to a targeted individual. However, conventional practice appears to be limited to blind rotation of static content and/or to changing the content display frequency to meet contractual terms. What are needed are methods and systems to maximize the effectiveness of content (such as advertising content, for example) to be displayed on Web sites. To maximize the effectiveness of the content and the delivery thereof requires the content to be customized and dynamically responsive to the specific individual or class of individuals viewing the content.

SUMMARY OF THE INVENTION

It is, therefore, an object of the present invention to provide methods and systems for maximizing the effectiveness and delivery of content over the Internet. It is another object of the present invention to provide customized content that is dynamically responsive to those that view the content.

In accordance with the above-described objects and those that will be mentioned and will become apparent below, a method for a first server to select content to be displayed on a computer accessing a Web site of a second server, according to the present invention, includes steps of collecting user identification data from the computer accessing the Web site; sending the collected user identification data to the first server; retrieving user information corresponding to the user identification data from a database of user information accessible to the first server; applying the retrieved user information to a rule base including a plurality of rules; selecting content to be displayed on the second server's Web site based upon a result of the application of the retrieved user information to at least one of the plurality of rules, and causing the Web site to display the selected content to the accessing computer.

computer. The sending step may send a request for the selected content along with the collected user identification data.

The present invention is also a system that includes a merchant Web server; an affiliate Web server, the affiliate Web server being coupled to the merchant Web server over a computer network; a database of user information accessible to the merchant Web server; a rule base including a plurality of configurable rules, the rule base being accessible to the merchant Web server; a first process to collect a user identification from a computer accessing a Web site controlled by the affiliate Web server and for sending the collected user identification to the merchant Web server along with a request for content; a second process for retrieving user information from the database corresponding to the collected user identification and a third process for applying user information obtained from the database to the plurality of rules and for returning selected content to the affiliate Web server in response to the request for content, the returned content being selected based upon a result of applying the user information to the plurality of rules.

The third process may be further configured to send the selected content to the affiliate Web server. The affiliate Web server may be further configured to integrate the selected content into the Web site displayed to the user. The affiliate Web server may be further configured to transmit the selected content to the accessing computer and the browser running on the accessing computer may be configured to integrate the selected content into the Web site displayed to the user. The affiliate Web server may be further configured to fetch the content at the address sent by the third process and to integrate the fetched content into the currently displayed page of the Web site. The affiliate Web server may be further configured to send the address of the content to the accessing computer and the accessing

computer may be configured to fetch the content at the address sent by the affiliate Web server and to integrate the fetched content into a currently displayed page of the Web site. The system may also include a fourth process to update the database of user information based upon an activity of a user of the accessing computer. The first process may also
5 collect, from the accessing computer, a request for the selected content along with the collected user identification data. The system may also include a rules engine configured to enable each of the plurality of rules to be customized and configured to enable a creation of new rules.

The present invention, according to another embodiment thereof, is also a method of
10 delivering personalized content from a first server to a computer accessing a second server, including steps of receiving a request for the personalized content from the accessing computer, the accessing computer having accessed a Web page that may include embedded code configured to send the request for personalized content to the first server over a computer network along with selected user identification data; retrieving user information
15 corresponding to at least one of the user identification data and the accessed Web page from a database of user information accessible to the first server; applying the retrieved user information to a rule base including a plurality of rules; selecting content to be posted in the accessed Web page based upon a result of the application of the retrieved user information to at least one of the plurality of rules, and sending at least one of the selected content and an
20 address of the selected content to the accessing computer for posting into the accessed Web page.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a representation of the method and systems for rule-based personalized content delivery, according to an embodiment of the present invention.

Fig. 2 is a representation of the method and systems for rule-based personalized content delivery according to the present invention, wherein the assembly of the Web page(s) to be viewed by the user is (are) carried out at the affiliate Web server.

Fig. 3 is a representation of the method and systems for rule-based personalized content delivery according to the present invention, wherein the assembly of the Web page(s) to be viewed by the user is (are) carried by the computer accessing the affiliate's Web server.

Fig. 4 is a block diagram of a computer system with which the present invention may be implemented.

DESCRIPTION OF THE INVENTION

FUNCTIONAL DESCRIPTION

Fig. 1 is a representation of methods and systems for rule-based distributed and personalized content delivery, according to embodiments of the present invention. As shown therein, reference numeral 140 represents a merchant server that is coupled to an affiliate server 130 via a computer network 150 (including, for example, the Internet). The organization controlling the affiliate server 130 may have a contractual relationship (or other duty or agreement) with the organization that controls the merchant server 140 such that the affiliate server 130 is to cause personalized content (such as an advertisement) to be displayed on its Web site(s), the content being personalized by the merchant server 140. The merchant server 140, according to the present invention, is coupled to, or has access to a

database 142 of user information. The merchant server 140 is also coupled to, or has access to, a rule base that includes a plurality of rules.

In operation, a computer 120 (and/or any device or service adapted to access the network 150) may access the affiliate server 130 by, for example, logging onto or otherwise
5 accessing the affiliate server 130's Web site, as shown by arrow 102. The affiliate server 130 (or a process running on the affiliate server 130) may then collect selected user identification data from the accessing computer 120. The user identification data collected from the accessing computer 120 by the affiliate server 130 may then be sent by the affiliate server 130 to the merchant Web server 140, as shown by the arrow 104 in Fig. 1. Along with the
10 collected user identification data, the affiliate server 130 may send the merchant Web server 140 a request for content. Preferably, the request for content is a request for content that has some relevance to the user of the computer 120 and thus to the user identification data collected from the accessing computer 120. That is, the request for content is a request for personalized content, based at least in part upon the user identification data collected from
15 the accessing computer 120. The request for content by the affiliate server 130, therefore, may include or consist of a request for content that has some relevance to the user identified (whether personally or anonymously) in the user identification data collected from the accessing computer 120.

The merchant Web server 140 may then access the database of user information 142
20 as shown at 106 to retrieve user information therefrom that corresponds to, somehow matches or is mapped to the collected user identification data. The user information database 142 may include user profile information including, for example, parameters indicative of demographic information such as the user's name, address, age, income level, payment

instruments, prior purchases and/or other information such as Web sites visited, Web browser used and/or any other information automatically collected from the user and/or solicited from and provided by the user of the accessing computer 120. The user information stored in the user information database 142 may be mapped to a specifically identified user, or may be mapped to a specific class of customers or users.

The user information retrieved from the user information database 142 that corresponds to the collected user identification data may then be applied to a rule base 144 (a store or database of rules) that includes a plurality of rules, as shown by arrow 108. The rules, according to the present invention, may be fully customizable to achieve virtually any business goal, such as to carry out targeted advertising, to carry out an advertising campaign or for purposes wholly unrelated to advertising. A rule engine 146 may also be provided, thereby enabling the merchant (the business or organization that owns and/or controls the merchant Web server 140) and/or other duly authorized parties to cancel, modify and/or create new rules at will. The rules engine 146 enables a swiftly response to dynamic market conditions and changes in marketing strategies by enabling the modification of existing rules and/or the creation of entirely new ones. The combination of the user information database, the rule base 144 and the rules engine 146 allows the creation of focused advertising campaigns that may be limited in time, geography and/or any parameter collected from and/or derived from the user information retrieved from the user information database 142. For example, a rule within the rule base 144 may include an "If ... then..." structure such as "If (parameterX > Y) then Z". For example, parameterX may be the user income level, Y may be a selectable threshold amount and Z may include, point to or otherwise identify some personalized content, as is discussed below. In this manner, higher income bracket

120. Cookies generally refer to text files that are stored on a user's computer by a server. Cookies can store a variety of information, including user preferences and/or any information that a Web server may use to customize or personalize a Web page for a particular user. The information stored in a cookie may have been provided by the user or collected transparently from the user and helps a server in a client/server network to customize the user's experience the next time he or she visits the Web site. If no cookie is found in the accessing computer 120, an anonymous cookie may be created and stored therein. Preferably, at least one of the rules of the rule base 144 may provide for the eventuality of an anonymous cookie or no cookie at all (as would be the case if the user of the accessing computer 120 had disabled cookies in his or her browser).

Fig. 2 is a representation of the method and systems for rule-based personalized content delivery according to the present invention, wherein the assembly of the Web page to be viewed by the user is carried out at the affiliate Web server 130. From the affiliate Web server 130's point of view, the user's computer 120 logs onto or otherwise accesses the affiliate 130's Web site, as shown at 201. Prior to sending the requested Web page to the browser on the accessing computer 120, the affiliate Web server 130 collects the user information from the accessing computer 120, which user information may be stored in the accessing computer 120 as a cookie. The affiliate Web server 130 may then send the collected user identification data to a marketing engine 160 coupled thereto over the Internet and/or other computer network, as shown at 202. The marketing engine 160 may include the merchant server 140, the database of user information 142 and the rule base 144. Along with the collected user identification data, the affiliate Web server 130 may send a Hyper Text Transfer Protocol (http) request for personalized content to the marketing engine 160. The

merchant Web server 140 of the marketing engine 160 receives the collected user identification data and the request for personalized content, requests and obtains user information corresponding to the received user identification data from the database 142 as shown at 203 and applies the user information from the user information database 142 to one or more of the plurality of rules stored in the rule base 144, as shown at 204. Based upon the result of the application of the obtained user information to the rules of the rule base 144, the merchant Web server 140 selects or is provided with selected content to be posted in the Web page requested by the accessing computer 120 and sends the selected content (either the content itself, such as html code, or an address or pointer to the selected content) to the affiliate Web server 130, as shown by arrow 205. The affiliate Web server 130 then dynamically integrates the selected content (after having received it from the merchant Web server 140 or fetched it from the address supplied by the merchant Web server 140) into the requested Web page, as shown at 206. The requested Web page, along with the selected personalized content posted therein, may then be pushed at 207 to the accessing computer 120, to be displayed by the browser or other content rendering application running thereon. The approach of Fig. 2 has the advantage of not relying upon any specific feature in the browser or rendering application running on the accessing computer 120, but relies upon the affiliate Web server 130 to integrate the selected personalized content into their Web page.

Fig. 3 is a representation of methods and systems for rule-based personalized content delivery according to the present invention, wherein the assembly of the Web page to be viewed by the user is carried out by the computer 120 accessing the affiliate's Web server 130. As shown therein, the user's computer 120 logs onto or otherwise accesses the affiliate server 130's Web site, as shown at 301. The affiliate Web server 130 may then deliver a

static Web page to the accessing computer 120, or may dynamically generate a Web page and send the dynamically generated Web page to the accessing computer 120. Whether static or dynamically generated, the Web page delivered to the accessing computer 120 may include code (such as html code, for example) that calls, as shown at 303, the marketing engine 160 to request personalized content, the call preferably including user identification data read from a cookie stored on the accessing computer 120. The marketing engine 160 may include the merchant server 140, the database of user information 142 and the rule base 144. The merchant Web server 140 of the marketing engine 160 receives the collected user identification data and the http request for personalized content, requests and obtains user information corresponding to the received user identification data from the database 142, as shown at 304, and applies the obtained user information to one or more of the plurality of rules stored in the rule base 144, as shown at 305. Based upon the result of the application of the user information to the rules of the rule base 144, the merchant Web server 140 selects content to be posted in the Web page requested by the accessing computer 120 and sends the selected content (either the content itself, such as html code, or an address or pointer to the selected code or content) to the browser of the accessing computer 120, as shown by arrow 306. The browser of the accessing computer 120 may then include the content into the currently displayed (html, for example) Web page. The approach of Fig. 3 has the advantage of having the ability to personalize content to be displayed in a Web page of an affiliate without placing any further processing burdens upon the affiliate Web server 130. Indeed, as most of the transaction of Fig. 3 occurs between the accessing computer 120 and the merchant Web server 140, the method may readily be implemented by affiliates without their

own Information Technology (IT) teams, thereby enabling a wide adoption of the present method.

According to the present invention, the selected content may include, for example, an advertisement, a product recommendation or a link to another Web site. For example, the
5 selected content may include a combination of a product recommendation and a deep link into another Web site where the recommended product is featured. Other forms of content, including audio and video may also be selected.

The applicability of the rules of the rule base 144 may be based upon one or more parameters, including time, geography, age, sex, income level, browser type and record of
10 past purchases or inquiries, for example. Values for such parameters may be retrieved, for example, from a profile (stored in the database 142) of the user identified by the user identification data collected from the accessing computer 120. 16. The database of user information 142 may also be updated by the merchant or a third party based upon the (online) activity of the user of the accessing computer 120.

15 It should be noted that although the present finds advantageous utility within the context of merchant-affiliate relationships, the systems and methods described above and claimed hereunder are not so limited. Indeed, the present systems and methods are applicable to the delivery of personalized content between entities having no such relationship and to users other than those accessing e-commerce sites. For example, the more general “first
20 server” and “second server” phrases may be substituted for “merchant Web server” and “affiliate Web server”, respectively.

HARDWARE DESCRIPTION

The present invention is related to the use of computing device 400 to deliver personalized content to a computer accessing an affiliate Web server. According to one embodiment, the processing may be carried out by one or more computing devices 400 in response to processor(s) 402 executing sequences of instructions contained in memory 404.

5 Such instructions may be read into memory 404 from another computer-readable medium, such as data storage device 407 and/or from a remotely located server. Execution of the sequences of instructions contained in memory 404 causes processor(s) 402 to implement the cart sharing functionality described above. In alternative embodiments, hard-wired circuitry may be used in place of or in combination with software instructions to implement the
10 present invention. Thus, the present invention is not limited to any specific combination of hardware circuitry and software.

While the foregoing detailed description has described preferred embodiments of the present invention, it is to be understood that the above description is illustrative only and not limiting of the disclosed invention. Those of skill in this art will recognize other alternative
15 embodiments and all such embodiments are deemed to fall within the scope of the present invention. Thus, the present invention should be limited only by the claims as set forth below.